



DIBA
BES

21
YEARS OF
EXCELLENCE
2005 — 2026

www.diba.co.za

2026 Compliance Dashboard (5 KPIs)

Template: KPI | Definition | How to measure | Target | Frequency | Owner | Notes/Actions

KPI	Definition	How to measure	Target	Frequency	Owner	Notes/Actions
Inspection Score (%)	Overall compliance from inspections	$(\text{Total points achieved} \div \text{total points possible}) \times 100$	$\geq 85\%$	Weekly / Monthly	Site Supervisor / OHS	Highlight top 3 repeat issues
Close-Out Time (days)	Speed of fixing findings	Average days from finding logged \rightarrow closed	≤ 7 days	Weekly	Responsible Managers	Escalate >14 days
Toolbox Talk Completion (%)	Consistency of safety communication	$(\text{Talks completed} \div \text{talks planned}) \times 100$	$\geq 95\%$	Weekly	Foreman / OHS Rep	Track topic + attendance
Induction Completion (%)	Everyone properly inducted	$(\text{Inducted workers} \div \text{total workers on site}) \times 100$	100%	Daily / Weekly	HR/Admin / Safety	No induction = no access
Near-Miss Reporting Rate (trend)	Safety culture visibility	Total near-misses reported per week/month	Increasing trend (healthy)	Weekly / Monthly	OHS Officer	More reporting = better visibility

Contact Us



Head Office (Gauteng):

No. 29 Jakkalsbessie Avenue,
Heuweloord, Centurion, 0157

Tel: 012 658 0722

Email: info@diba.co.za



Gauteng

No 29 Jakkalsbessie Avenue
Heuweloord
Centurion
0157

info@diba.co.za
012 658 0722
086 501 2160



Limpopo

17a Magazyn Street
Polokwane
0700

lp@diba.co.za
015 295 3771
086 501 2160



Mpumalanga

Regus Business Centre
11 Van Der Merwe Street
Nelspruit
1200

mp@diba.co.za
013 754 7756
086 501 2160



Kwazulu Natal

35 Braemar Street
Lalucia
Durban
4153

kzn@diba.co.za
031 562 0078
086 501 2160



North West

214 Beyers Naude Dr
Rustenburg
0299

nw@diba.co.za
071 773 5880
086 501 2160



Western Cape

20 Klipspringer Street
Soneike
7580

wc@diba.co.za
071 773 5880
086 501 2160



Eastern Cape

242 Kalashe Drive,
Coverock Country Estate,
East London

info@diba.co.za
071 773 5880
086 501 2160